

OSTRA Tags

The OSTRAs series offers the unique and patented Total Enclosure Design (TED) concept that fully conceals the vital securing pin inside of the oyster casing of the tag design.

Together with the Code Lock method of locking pins within the tag developed by Cross Point, OSTRAs tags offer the highest protection against unauthorized attempts to remove tags.

A steel lanyard can be used to attach the tags to those products that cannot be secured using the TED shell.

The best system performance can be achieved when OSTRAs tags are used in combination with Cross Point systems.

Unique features


Code Lock locking method

Patented Total Enclosure Design (TED)

Attractively designed

Frequency 8.2 MHz (RF) and 58 kHz (AM)

White color



Cross Point OSTRAs tags

Features		OSTRA D55	OSTRA D50	OSTRA D40	OSTRA F25
Frequency ¹		58 kHz (AM)	8.2 MHz (RF)	8.2 MHz (RF)	58 kHz (AM)
Code Locking method		●	●	●	●
Patented Total Enclosure Design (TED)		●	●	●	●
Ferrite coil ¹		●	-	-	●
Detection Distance ²					
AM SYSTEMS					
MAXUS AM50 (Advertising)	mono dual	up to 1.40 m up to 3.00 m	-	-	up to 1.40 m up to 3.00 m
STYLUS AM30	mono dual	up to 1.20 m up to 2.50 m	-	-	up to 1.20 m up to 2.50 m
FORTUS AM40	mono dual	up to 1.30 m up to 2.70 m	-	-	up to 1.30 m up to 2.70 m
NEXUS AM30	mono dual	up to 1.20 m up to 2.50 m	-	-	up to 1.20 m up to 2.50 m
MODUS AM30	mono dual	up to 1.20 m up to 2.50 m	-	-	up to 1.20 m up to 2.50 m
RF MONO SYSTEMS					
PLEXUS RFM40		-	up to 1.25 m	up to 1.20 m	-
SOLUS RFM40		-	up to 1.25 m	up to 1.20 m	-
FORTUS RFM40		-	up to 1.25 m	up to 1.20 m	-
RF DUAL SYSTEMS					
PLEXUS RF40		-	up to 2.25 m	up to 2.05 m	-
FORTUS RF40		-	up to 2.25 m	up to 2.05 m	-
NEXUS RF30		-	up to 2.20 m	up to 2.00 m	-
MODUS RF30		-	up to 2.20 m	up to 2.00 m	-
PRIMUS RF30		-	up to 1.85 m	up to 1.65 m	-
Specifications					
Diameter		55 mm	50 mm	40 mm	25 mm
Body length		-	-	-	72 mm
Pin length		20 mm	20 mm	20 mm	20 mm
Color		Black	Glossy white	Glossy white	Glossy white / anthracite
Weight		20 grams	18 grams	15 grams	16 grams

● standard available

○ optional

- not available

¹ The OSTRA D55 is a combined technology tag, consisting of an RF coil and an AM ferrite coil.

² Tested in all tag orientations, depending on environment.